

Partners of choice for Hospitality Industry





Founded in 1976 by A.S. Latheef Sait, M/s INTERMAS is engaged in the export & import business of premium quality frozen marine Products. The company has turned into one of the leading suppliers of variety seafood products to many 'EXIM' companies across the world.

Based on its strength of international business relations, it is decided to diversity the operations in 2002 by setting up another company M/s. INTERMAS Marketing Co., to provide service and products to the hospitality industry. Now, INTERMAS Marketing Co., is a major sourcing partner and a supplier of a fabulous range of products like cosmetics, ultra modern amenities, paper products, tools and equipments to hotels, palaces, resorts, restaurants, kitchens, hospitals and other hospitality related industries around the world.

INTERMAS also holds the reputation as a trendsetter by innovating and introducing own and exclusive range of products & equipments. INTERMAS always introduces the latest products & equipments from various Indian and international markets and helps to update one's own amenities matching to a new world's tastes and trends. For us 'quality is a continuous process of improvement'.

Now, INTERMAS stretches its wings by extending the business activities to the middle East as well. The company supplies the entire range of hospitality products to this part of the world too with an unmatched business success and unlimited creative skill. The Company's experienced Product Specialists always help the buyer giving training and orientation to those who handle these equipments from time to time.

We at INTERMAS honestly values the priorities of all our distinguished customers and always contribute our best for their ultimate satisfaction.



FLOOR CARE



Auto Scrubber Dryer - Cable



RA 55 K 40

Scrubbers & Polishers



I-19



I-450



I-14

Model No	Power	Voltage	Brush	Motor	RPM	Weight	Sound	Size
RA 55 K 40	1550W	230 V		204 mbar	150	70 kgs		1035 x 525 x 815 mm
I-19		220-240/50 Hz	508mm	1.5 HP	1500	45 kgs		250x580x460mm
I-450		230V AC 50 Hz	450mm		S=150/230/300	32 kgs		1185-580-450mm
I-14	1000W	220-240/50 Hz			175	43 kgs	55 (Db)	

Industrial Wet & Dry Vacuum Cleaners



I-15



I-30



I-260



I-360

Model No.	Voltage	Power	Suction	Air Flow Volume	Drum	Weight
I-15	220 V	1000 W	2000mm - water	53 L/sec	Stainless Steel	12 kg
I-30	220 V	2000 W	2000mm - water	53 L/sec	Stainless Steel	27 kg
I-260	220 V	1000 W	2000mm - water	106 L/sec	Stainless Steel	14 kg
I-360	220 V	3000 W	2000mm - water	159 L/sec	Stainless Steel	28 kg

Foam generator, carpet drier, mechanical sweeper & high pressure washer



I-10



I-9



I-20



I-110



I-70

Model No	Product description	Voltage	Power	Tank	Dimensions	Cleaning capacity	Hopper capacity	Weight	Packed Weight
I-10	Foam Generator	220V 50 Hz	80 Watts	6 Ltrs.	210x270x480			8 Kg	
I-9	Hand Blowers				48.5x44.8x51				
I-20	Mechanical Sweeper				86x70x213	1800m2/hr	40 Ltrs	11 Kg	25 Kg
I-110	High Pressure Washer 110 Bar	220V	1200 watts					18 Kg	
I-70	High Pressure Washer 70 Bar	200V	1400 watts					56 Kg	

Pro-service Trolleys



Model No	Description	Dimensions
SKAT 11	Servo keeper systems	1140 x 580 x 1480 mm
SKAT 15	Servo keeper systems	1100 x 580 x 1125 mm
SKAT 16	Servo keeper systems	1510 x 580 x 1125 mm
SKAT 17	Servo keeper systems	1910 x 580 x 1125 mm
I-C 76 A	Guest room service trolley	1480 x 550 x 1300 mm
AHS C 39	MS Steel H/K Trolley	55 x 19 x 27 inch
I-CRHT 01	Multifunction Service Cart	154 x 54 x 128.5 cm
I-SHC 8851	MS Steel H/K Trolley	55 x 19 x 27 inch
AHS C 38	MS Steel H/K Trolley	63 x 18 x 48 inch
I-CRL01	X-Shape Laundry Cart	62 x 62.5 x 98.5 cm
AHS C 40	Laundry Cart	86 x 20 x 47 inch



Swing Top/Carousel



Model No	Dimensions	Capacity
I - NC 1	540 x 480 x 870 mm	70 Ltrs
I - NC 2	540 x 480 x 870 mm	2 x 70 Ltrs
I - NC 3	545 x 500 x 920 mm	1 x 70 Ltrs



Model No	Description	Dimensions
CRJW02	Multifunction Janitor Cart	132 x 75 x 110 cm
CRJ01	Janitor Cart (with cover)	119.5 x 51 x 99.5 cm

Mop Wringers



Model No	Description	Dimensions	Capacity
I - TM2815	Twin mop	820 x 395 x 1000 mm	28 Ltrs
I - 119	Double mop wringer - side press		60 Ltrs
I - 119A	Double mop wringer trolley down press	790 x 430 x 520 mm	60 Ltrs
I - 118	Single mop wringer trolley	540 x 440 x 470 mm	36 Ltrs
I - 118B	Single mop wringer trolley	400 x 270 x 340 mm	20 Ltrs

Easy Caddies



I - 73



I - 112



I - 113



I - 6
Capacity 15 Ltrs



I - 3-4 Caution Board



I - 91/92/94
Capacity 12, 18, 36

Model No	Description	Dimensions
I - 73	Handy caddie basket	394 x 254 x 133 mm
I - 112	Two level barrel	368 x 457 x 254 mm
I - 113	Professional bucket	514 x 267 x 330 mm
I - 6	Twin bucket squeezer	430 x 240 x 270 mm
I - 3-4	Caution Board	
I - 91,92,94	Umbrella stands	

Hand Care For Floors



CRD01



IP 27-28



IS 3-4



CI 3-4



IP 32-22/30



C 13-14



IM 40

Model No	Description	Dimensions
CRD 01	Dustpan & Brush set	
IP 27	Floor Squeegee	55 cms
IP 28	Floor Squeegee	75 cms
IS 4	Lobby Mop Steel	60 cms
IS 3	Lobby Mop Steel	90 cms
IS 5	Lobby Mop Steel	40 cms
IP 32-22	Rubber Squeegee	55 cms
IP 32-30	Rubber Squeegee	75 cms
IM 40	Spray Mop	140 cms
IH S	Mop Insert	40 cms
II 4	Mop Insert	60 cms
II 5	Mop Insert	90 cms
I 13	Normal Mop	-
IH 15	Mop Head	-
IM 40	Floor Scraper	-
IS 27	Floor Squeegee Straight	55 cms
IS 28	Floor Squeegee Straight	75 cms



IH 15




I 40

SERVO CARE



Glass Care



I - 43-46



I - 47-50



I - 138-139



I - 72



I - 53-55



I - 39



I - 51



I - 68-70



I - 41



I - 174



I - 175 Scrubbing Pads

Model No	Description	Dimensions
I - 43-46	Alloy Glass Squeeze	25/35/40/45 cms
I - 47-50	S. Steel Glass Squeeze	25/35/40/45 cms
I - 138	Dust brush	
I - 39	Glass Cleaning Kit	125x25x6.6 cms
I - 72	Pole Clamp	
I - 53-55	Glass Washer	35/40/45 cms
I - 139	Fan blade brush	
I - 51	Rubber stripe	105
I - 68-70	Telescopic poles	6/9 mts.
I - 41	S.S. Glass scraper	
I - 174	Plastic Glass scraper	
I - 175	Scrubbing Pads	

HYGIENE CARE



Napkins



Facial Tissues



Industrial &
Kitchen Roll Dispenser



Industrial &
Kitchen Roll & HRT Roll



Towel Tissue (C-fold) & (M-fold)



Toiled rolls/JRT rolls



Personal seat cover refills

Wall Mounted Multi - Functional Recess Panel



Kinox - KMR 2N Multi - Functional Recess Panel (Paper Dispenser + Auto Hand Dryer + Waste Container)



Fabricated of Stainless Steel with Satin Finish.

All - Spot welding construction, durable and steady; one key for two tumbler locks.

1. Paper towel bin hold 800 Multi-Fold or C-Fold Paper towels.
2. Auto Hand Dryer is operated by Infrared Sensor, dry hand quickly, water-proof construction.
3. Removable waste container with 16 Litres capacity

Kinox - KPD Mum - Functional Recess Panel (Paper Dispenser + Waste Container)



Fabricated of type # 304, 22 gauge (0.8mm) Stainless Steel with Satin Finish. All - Spot welding construction, durable and steady; one key for three tumbler locks

1. Paper towel bin hold 800 Multi-Fold or C-Fold Paper towels without special adapter.
2. Removable waste container with 32 Litres capacity

Jet Hand Dryer

Dry your hands in 6 seconds

The high-speed Jet Towel's strong air current removes water from the both sides of the hands with a powerful gust of air measuring 90 meters per second



Kinox - KJD1 Jet Hand Dryer

Voltage	220V / 50 Hz
Rated power	850 W
Current	6.5A
Water Splash	IPX1
Blowing Volume	150m ³ /h
Drying Time	< 5 sec
Air Speed	68 m/s
Dimension	687 X 300 X 220 mm
Weight	15.5 Kg



Recessed Hand Dryer

Kinox - KRD Steel Recess Hand Dryer



Voltage	220V / 50 Hz
Rated power	2000 W
RPM	4200
Water Splash	IP X 1
Blowing Volume	460 m ³ / h
Drying Time	< 15 sec
Time Protection	2 minutes Auto Cut
Sensing Range	18 cm +- 2 cm
Dimension	340X361 X 153 mm
Weight	9.2 Kg

Aluminium & ABS Body Hand Dryer



EH 05, Aluminum Auto Hand Dryer

Body Material	: Aluminium Die Cast
Voltage	: 220V / 50 Hz
Motor Type	: Capacitor
Rated power	: 1650 W
RPM	: 2890
Water Splash	: IP X 1
Blowing Volume	: 100 m ³ / h
Drying Time	: < 20 sec
Time Protection	: 1 minutes Auto Cut
Sensing Range	: 25 cm +- 15 cm
Dimension	: 260 X 230 X 140 mm
Weight	: 4.1 Kg

*** Optional: 1) Different Colors to match Washroom Decor
2) With Summer Winter Control



EH 02, ABS Auto Hand Dryer

Body Material	: ABS Plastic
Voltage	: 220V / 50 Hz
Rated power	: 1650 W
RPM	: 3700
Water Splash	: IP X 1
Blowing Volume	: 120 m ³ / h
Drying Time	: < 30 sec
Time Protection	: 1 minute Auto Cut
Sensing Range	: 20 cm +- 5 cm
Dimension	: 295 X 240 X 145 mm
Weight	: 2.9 Kg

Stainless Steel Hand Dryer Series



**EH 01S, S. Steel Auto Hand Dryer
(With 360 Degree Swirling Nozzle)**

Body Material	: Stainless Steel #304
Voltage	: 220V / 50 Hz
Rated power	: 2500 W
RPM	: 9000
Water Splash	: IP X 1
Blowing Volume	: 270 m ³ / h
Drying Time	: < 10 sec
Time Protection	: < 1 minute Auto Cut
Sensing Range	: 20 cm +- 9 cm
Dimension	: 240 X 270 X 200 mm
Weight	: 5.5 Kg

*** Optional: With Summer Winter Control



EH 06S, S. Steel Auto Hand Dryer

Body Material	: Stainless Steel #304
Voltage	: 220V / 50 Hz
Rated power	: 2500 W
RPM	: 8000
Water Splash	: IP X 1
Blowing Volume	: 270 m ³ / h
Drying Time	: < 10 sec
Time Protection	: < 1 minute Auto Cut
Sensing Range	: 20 cm +- 9 cm
Dimension	: 240 X 270 X 142 mm
Weight	: 5.0 Kg

*** Optional: With Summer Winter Control



**EH 07S, S. Steel Auto Hand Dryer
(With Summer Winter Control)**

Body Material	: Stainless Steel #304
Voltage	: 220V / 50 Hz
Rated power	: 2000 W
RPM	: 2500
Water Splash	: IP X 1
Blowing Volume	: 120 m ³ / h
Drying Time	: < 25 sec
Time Protection	: 1 minute Auto Cut
Sensing Range	: 20 cm +- 5 cm
Dimension	: 282 X 225 X 160 mm
Weight	: 4.5 Kg

Automatic Urinal Flushers



**Kinnox - KUF Urinal With Concealed
Sensor (Battery Operated)**

Voltage	0.6V (DC)
Power Consumption	0.5mW (DC)
Battery	4 X AA Duracell Alkaline Battery
Water Pressure	0.05 Mpa - 0.7 Mpa
Detection Zone	30 - 90 cm
Ambient Temperature	0.1 ~ 45°C
Diameter of Inlet/Outlet Pipe	G (1/2)"
Degree of Protection	IP 56
Dimensions	680 X 290 X 345 mm



**EU 01 Automatic Urinal Flusher
(Touch Free Operation)**

Voltage	220V / 50 Hz (AC), 0.6V (DC)
Power Consumption	< 2 W (AC), 0.5mW (DC)
Battery	4 X AA Duracell Alkaline Battery
Water Pressure	0.05 Mpa - 0.7 MPa
Detection Zone	60 cm
Ambient Temperature	0.1 ~45°C
Diameter of Inlet/Outlet Pipe	G (1/2)"
Degree of Protection	IP 56
Dimensions	128 x 128 mm

*** Available in

DC (Battery) Model: EU 01

AC (Electrical) Model: EU 03 E

AC / DC (Electrical + Battery) Model: EU 04BE

Usage: With 4AA alkaline batteries it can be used for about 1 year
worked for 150 cycles a day



**EU 020 Exposed Urinal Flusher
(Touch Free Operation)**

Voltage	220V / 50 Hz (AC), 0.6V (DC)
Power Consumption	< 2 W (AC), 0.5mW (DC)
Battery	4 X AA Duracell Alkaline Battery
Water Pressure	0.1 Mpa-0.6 MPa
Detection Zone	60 cm
Ambient Temperature	0 ~ 40°C
Diameter of Inlet/Outlet Pipe	G (1/2)"
Degree of Protection	IP 56

Usage: With 4AA alkaline batteries it can be used for about
1 year worked for 150 cycles a day

Automatic Sensor Taps



ET 01, Sensor Tap (Touch Free Operation)

Voltage	: 220V / 50 Hz (AC), 0.6V (DC)
Power Consumption	: < 2 W (AC), 0.5mW (DC)
Battery	: 4 X AA Duracell Alkaline Battery
Water Pressure	: 0.05 Mpa - 0.7 MPa
Detection Zone	: 12 - 18 cm
Ambient Temperature	: 0.1 ~ 45°C
Water Temperature	: 0 ~ 80°C
Diameter of Inlet/Outlet Pipe	: G (1/2)"
Degree of Protection	: IP 56

*** Available in
DC (Battery) Model: ET 01
AC (Electrical) Model: ET 01E
AC / DC (Electrical + Battery) Model: ET 01BE
Usage: With 4AA alkaline batteries it can be used for about 1 year worked for 150 cycles a day



ET 05, Sensor Tap (Touch Free Operation)

Voltage	: 0.6V (DC)
Power Consumption	: 0.5mW (DC)
Battery	: 4 X AA Duracell Alkaline Battery
Water Pressure	: 0.1 MPa 0.6 MPa
Detection Zone	: 15 cm
Ambient Temperature	: 0 - 40°C
Water Temperature	: 0 ~ 55°C
Diameter of Inlet/Outlet Pipe	: G (1/2)"
Degree of Protection	: IP 56

Usage: With 4AA alkaline batteries it can be used for about 1 year worked for 150 cycles a day



ET 06 L, Long Body Sensor Tap (Touch Free Operation)

Voltage	220V/50 Hz (AC), 0.6V (DC)
Power Consumption	< 2 W (AC), 0.5mW (DC)
Battery	4 X AA Duracell Alkaline Battery
Water Pressure	0.05 Mpa-0.7 MPa
Detection Zone	12-18 cm
Ambient Temperature	0.1 ~45°C
Water Temperature	0 ~ 80°C
Diameter of Inlet/Outlet Pipe	G (1/2)"
Degree of Protection	IP 56

*** Available in : AC / DC (Electrical + Battery) Model: ET 06 L (BE)
Usage: With 4AA alkaline batteries it can be used for about 1 year worked for 150 cycles a day



ET 03 W, Wall Mounting Sensor Tap (Touch Free Operation)

Voltage	0.6V (DC)
Power Consumption	0.5mW (DC)
Battery	4 X AA Duracell Alkaline Battery
Water Pressure	0.1 MPa 0.6 MPa
Detection Zone	15 cm
Ambient Temperature	0 - 40°C
Water Temperature	0 ~ 55°C
Diameter of Inlet/Outlet Pipe	G (1/2)"
Degree of Protection	IP 56

Usage: With 4AA alkaline batteries it can be used for about 1 year worked for 150 cycles a day

Automatic Shoe Shining



ESM 4, Shoe Shining Machine (Sole Cleaner)

Material	Stainless Steel
Voltage	220V/ 50 Hz :40W
Rated Power	40 W
RPM	1400 RPM
Time Protection	15 Seconds Auto Cut Off
Polish Capacity	200 ML
Dimension	510 X 320 X 495 mm



ESM 3, Automatic Shoe Shining Machine

Material	Stainless Steel
Voltage	220V/ 50 Hz
Rated Power	40 W
RPM	1400 RPM
Time Protection	15 Seconds Auto Cut Off
Polish Capacity	200 ML
Dimension	280X370X210 mm

Shoe Cover Dispenser



It solves the problem of changing shoes or wearing shoe cover by hand when people enter into a clean room. You just put your foot into the dispenser & a shoe cover would cover your foot automatically



STEP 1



STEP 2



ESCD1, Automatic Shoe Cover Dispenser

Voltage 220V/ 50 Hz
Dimension 570L X 290W X 880H mm

ESCD1, Automatic Shoe Cover Dispenser

Voltage 220V/ 50 Hz
Dimension 570L X 290W X 880H mm

ESCD2, Shoe Cover Dispenser

Dimension : 470L X 260W X 170H mm

Super Slim Air Curtain



Model No.	Power (watts)		Air Velocity (m/s)		Air Flow (m³/h)	Noise (db)		Dimensions (mm)
	HI	LO	HI	LO		HI	LO	
EAC 3 (900 mm)	338	300	18.8	13.5	1398	58	54	900X230X212
EAC 4 (1200 mm)	470	410			1864	59	55	1200X230X212
EAC 5 (1500 mm)	573	505			2330	61	58	1500X230X212

These Air Curtains are Sleekest Air Curtains in the World

All Metallic Casing - High in fire resistance, compact in over-all construction, convenient in installation, easy for cleaning and maintenance.

Piano Type Buttons to control the High / Low Speed that can meet the need of various environments & door heights.

Reliable designed motor that can run 5000 hours continuously.

Multiple Installation Specifications - Body dimensions of 3/4/5 Feet

Variable Installation Heights - 7 to 9 Feet

Centrifugal Type Forward - Bending blade Wheel construction, fitted with efficient Volute design, rendering the capacity of the curtain for the best result. This type of wheel is high efficient, less noisy, with large air volume (maximum air speed reaching 18.8m/s), High velocity of this air curtain is unmatched by any other air curtain in the market.


Over Heating Protection - When motors temperature goes over the temperature (145°C) the power supply will be automatically cut off and when the motors temperature decline (below 145°C) it will start running automatically.

Number of Motor & Blowers:

3 Feet Air curtain have 2 Motors & 3 Blowers

4 Feet Air curtain have 2 Motors & 4 Blowers

5 Feet Air curtain have 3 Motors & 5 Blowers



All Metallic Case



Highly Efficient Centrifugal Air Wheel & Volute Design



Super Sleek Body Design



Velocity Control

Automatic & Manual Soap Dispensers



Code: ES 08A, Automatic
Material : Stainless Steel (Satin)
Capacity : 1200 ML
Dimensions : 150 X 200 X 55 mm



Code: ES 06A, Automatic
Material : ABS Body
Capacity : 1000 ML
Dimensions : 130 X 240 X 85 mm



Pluto Soap Dispenser (Steel)
Capacity : 900 ML
Dimension : 120D x 130W x 255H mm



Code: Kinnox KSD 1 (Heavy Duty)
Material : Stainless Steel # 304
Capacity : 400 ML
Dimension : 65 (Dia) X 200 (H) mm



Code: ES 09 (Heavy Duty)
Material : Stainless Steel (Satin)
Capacity : 450 ML
Dimensions : 73 (Dia) X 162 (H) mm



Code: ES 18
Material : Stainless Steel # 304
Capacity : 400 ML
Dimension : 65 (Dia) X 200 (H) mm



Code: ES 04
Material : Stainless Steel (Satin)
Capacity : 800 ML
Dimension : 100 X 178 X 57 mm



Code: ES 05
Material : Stainless Steel (Satin)
Capacity : 800 ML
Dimension : 95 X 150 X 57 mm



Code: ES 11
Material : Stainless Steel
Capacity : 450 ML
Dimensions : 65 (Dia) X 200 (H) mm



Code: ES 07L, Under Counter
Material : Stainless Steel # 304
Capacity : 250 ML
Dimension : 52 (Dia) X 245 (H) mm



Code: ES 15D, Double Container
Material : Stainless Steel (Satin)
Capacity : 750 ML X 2
Dimensions : 150 X 200 X 55 mm



Code: ES 14H, Horizontal
Material : Stainless Steel (Satin)
Capacity : 1250 ML
Dimensions : 209 X 124 X 72 mm



**Code: ES 16S, Soap
Code: ES 16F, Foam**
Material : ABS Body
Capacity : 1000 ML
Dimension : 115L x 110W x 245H mm



**Code: ES 17S, Soap
Code: ES 17F, Foam**
Material : ABS Body
Capacity : 400 ML
Dimension : 90L x 100W x 194H mm



Code: ES 10D, Double Container
Material : ABS Body
Capacity : 400 ML x 2
Dimension : 130L x 78W x 240H mm



Code: ES 03
Material : ABS Body
Capacity : 1000 ML
Dimension : 239 X 115 X 86 mm

Paper Dispensers (Auto / Manual / Wet Towels)



Code: EP 03

Material : ABS Body
Paper Type : C Fold
Capacity : 450 - 500 Towels



Code: EP 05S

Material : ABS Body
Paper Type : C Fold - M Fold
Capacity : 350 - 400 Towels



Code: EJ 03, JRT Dispenser

Material : ABS Body
Paper Type : 2 Ply
Length of Roll : 250 - 350 Meter
*** With Ashtray Provision



Code: EP 01

Material : Stainless Steel # 304
Paper Type : C Fold
Capacity : 450 - 500 Towels



Code: EP 02S

Material : Stainless Steel # 304
Paper Type : C Fold
Capacity : 350 - 400 Towels



Code: EP 02S, JRT Dispenser

Material : Stainless Steel # 304
Paper Type : 2 Ply
Length of Roll : 250 - 350 Meter



EP07AC, Auto Cut

Roll Size : 170 (Dia.) x 200 (H) mm
Dimension: H410 x W300 x D237mm



Pluto Paper Dispenser (Steel)

Capacity : 450 - 500 Towel
Dimension: H325 x W325 x D150 mm



Pluto JRT Dispenser (Steel)

Length of Roll : 250 - 350 Meter
Dimension : H350 x W260 x D140 mm



EWTD 02HC, Cold / Hot / Normal Automatic Wet Towel Dispenser

Speed : 25 Towels / Min
Power : 350W (Hot), 3W (Normal)
80W (Cold)
Dimension : 435x210x425mm



EWTD 01, Hot / Normal Automatic Wet Towel Dispenser

Speed : 20 Towels / Min
Power : 350W (Hot), 2.5W (Normal)
Dimension : 420x210x310 mm


Hair Dryer, Concave Mirror & Perfume Dispenser



ED 03, Hair Dryer
Material : ABS Body
Voltage : AC 220V/50 Hz
Rated Power : 1200 W
2 Speed Dry/Style Switch



Kinnox KD 01W, White
Power: 1600W
Voltage: 220V/50Hz
2 Heat Setting by Push up & Down
Front & back cover chrome plated
Concentrator nozzle



EM 03, Concave Mirror (Frameless)
Size : 210H x130W mm
Zoom : 3 X



EM 02L, Concave Mirror (LED Light)
Diameter : 8 Inches
Zoom : 3 X



EM 01, Concave Mirror
Diameter : 8 Inches
Zoom : 3 X



EA 03, LCD Aerosol Dispenser
Material : ABS Body
Battery : 2 X C Size Duracell
Interval Time Spray : 1 - 99 Mins
Digital Programming Machine
*** Choice of Fragrances Available



EA 04, LED Aerosol Dispenser
Material : ABS Body
Battery : 2 X AA Size Duracell
Interval Time Spray : 5, 10, 15, 30 Mins
3 Modes : 24 Hours, Day, Night
*** Choice of Fragrances Available



EUS 04, LED Urinal Sanitizer
Material : ABS Body
Battery : 2 X AA Size Duracell
Days Interval : 30, 60, 90 Days

Bathroom Accessories

All accessories are made of Non-Corrosive Rust - Resistant Stainless Steel necessary for high humidity levels in the bathroom



Toilet Paper Holder
Code - EPH 02



Toilet Paper Holder
Code - EPH 04F
(With Flap)



Towel Ring
(Square Shape)
Code - ETR 05



Coat Hook
Code - EC01



Coat Hook
EC 02



Towel Rail
ETR 01
(450, 600 mm)



Steel Shelf
ESF 01
(400 mm)



Towel Rack with Rail
ETR 04
(450, 550, 600 mm)


Bathroom Accessories



Soap Dish
ESD 01



Grab Bar
EGR 01
(300, 450, 600 mm
Diameter - 22 mm)



**Handicap/Disabled
Grab Bar (Swing)**
EGR S02
(Length - 750 mm)



**Waste Receptacle
with Inner Bin**
KWR
Capacity - 15 L
(125 x 200 x 445 mm)

Electronic Safe Lockers



SDL1
External Dimension: 200 x 430 x 350mm
Internal Dimension: 190 x 420 x 300mm
4 x AA Size Batteries
Low Battery Indicator
Pre-drilled holes with fixing bolts
With high secure manual key system
Ivory Colour



SNH2
External Dimension: 250 x 350 x 250mm
Internal Dimension: 240 x 340 x 200mm
4 x AA Size Batteries
Low Battery Indicator
Pre-drilled holes with fixing bolts
With high secure manual key system
Ivory Colour



SMDL2
External Dimension: 200 x 410 x 400mm
Internal Dimension: 190 x 400 x 350mm
LED Digital Display
4 x AA Size Batteries
Low Battery Indicator
Pre-drilled holes with fixing bolts
With high secure manual key system
Black Colour



SH1
External Dimension: 200 x 310 x 200mm
Internal Dimension: 190 x 300 x 150mm
4 x AA Size Batteries
Low Battery Indicator
Pre-drilled holes with fixing bolts
With high secure manual key system
Ivory Colour

Mini Bar - 40 Litre - FS 40



Certification

- CE, UL, CB International, CCC
- RoHS Compliance

General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.7kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- All round magnetic insulation on door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly
- Colour - Black/White
- Available in 50 & 60 ltr

Mini Bar Glass Door - 40 Litre - FSG 40



Certification

- CE, UL, CB International, CCC
- RoHS Compliance

General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.95kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- Solid insulated frame for glass door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly
- Vision glass door
- Colour - Black/White
- Available in 50 & 60 ltr

Mini Bar - 50 Litre - FS 50



General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.9kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- All round magnetic insulation on door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly

Certification

- CE, UL, CB International, CCC
- RoHS Compliance

Mini Bar - 60 Litre - FS 60



General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.9kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- All round magnetic insulation on door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly

Certification

- CE, UL, CB International, CCC
- RoHS Compliance

The absorption cooling system

All the Farshu minibars are made by advanced absorption cooling system with no compressor & no moving parts. All the Farshu minibars are specially made by fuzzy logic regulation technology, that helps to working power will be lower according to the decrease of temperature inside the minibar. And the machine will stop working if the temperature is cool enough for drinks.

Features

1. CFC free
2. No Leakage
3. No pollution
4. Environment Friendly
5. No Vibration
6. Noise free
7. Long life-span for usage
8. Lower Power Consumption
9. Firm Stainless Metal Cabinet
10. Aluminium Inner




Technical data for normal doors

Model	Capacity	Input Power	Refrigerator temperature	Power consumption	No. of schemes	No. of balconies	Unit dimension WxDxH (mm)	Package dimension (mm)	Net Weight (KG)	Qty per 40H container
FS 30	30	65	0-8	0.8	1	2	400 x 420 x 500	470 x 470 x 540	13.5	800
FS 40	40	65	0-8	0.7	2	2	400 x 450 x 580	470 x 500 x 600	15.5	480
FS 50	50	90	0-8	0.88	3	3	400 x 450 x 670	470 x 500 x 720	17.5	440
FS 60	58	90	0-8	0.90	3	2	460 x 480 x 580	515 x 525 x 630	26.0	450

Technical data for glass doors

Model	Capacity	Input Power	Refrigerator temperature	Power consumption	No. of schemes	No. of balconies	Unit dimension WxDxH (mm)	Package dimension (mm)	Net Weight (KG)	Qty per 40H container
FSG 30	30	65	6-12	0.8	1	0	400 x 420 x 500	470 x 470 x 540	14.5	600
FSG 40	40	65	6-12	0.95	2	0	400 x 440 x 560	470 x 500 x 600	16.5	480
FSG 50	50	90	6-12	1.0	3	0	400 x 440 x 670	470 x 500 x 720	18.5	440



Lazio Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1600W
- Spring button safety guarantee
- Three heat Setting including cold shot
- Long life motor
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 60 & 95 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White 633 101, Black 633 102, Ivory 633 103

Helain Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1200W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 45 & 70 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White 633 401, Black 633 402, Ivory 633 403

Lugi Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1500W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 60 & 95 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White : 633 201

Black : 633 202

Ivory : 633 203

Flo Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1200W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 45 & 70 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White : 633 301

Black : 633 302

Ivory : 633 403

Lazio Hair Dryer Drawer Mounted



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1600W
- Spring button safety guarantee
- Three heat Setting including cold shot
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 60 & 95 m³/h

General Safety Information

European Standards

- CE • CB • GS

Drawer Mounted Hair Dryers

Product Code:

White : 633 121

Black : 633 122

Ivory : 633 123

Helain Hair Dryer Drawer Mounted



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1200W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 45 & 70 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White : 633 221

Black : 633 222

Ivory : 633 223

Body Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 950W
- Air Flow : 75 m³/h

General Safety Information

European Standards

- CE • CB • GS

Product Code : 633 331

Veneto Kettle - 1 Litre



General Specifications

- Electric Cordless Kettle 1 Litre
- Concealed heat element
- 360° Stainless steel rotating water reservoir Pilot Light
- Automatic turn off when boiled or empty
- Thermo boil during cooling/static period
- Anti-friction coat for fast boil
- Hinged locking lid
- Scratch resistant
- Voltage 230V 50-60 Hz, 1200W

General Safety Information

- CE • European Standards

Product Code:

White : 655 101

Black : 655 102

Ivory : 655 103

Lyra Kettle - 1.2 Litre



General Specifications

- Electric Cordless Kettle 1.2 Litre
- Concealed heat element
- 360° Stainless steel rotating water reservoir Pilot Light
- Automatic turn off when boiled or empty
- Thermo boil during cooling/static period
- Anti-friction coat for fast boil
- Hinged locking lid
- Scratch resistant
- Voltage 230V 50-60 Hz, 1250W

General Safety Information

- CE • European Standards

Product Code:

White : 655 201

Black : 655 202

Ivory : 655 203

White & Gray : 655 204

Octans Stainless Steel Kettle



General Specifications

- Stainless steel finishing
- Concealed heat element
- 360° Stainless steel rotating water reservoir Pilot Light
- Automatic turn off when boiled or empty
- Thermo boil during cooling/static period
- Anti-friction coat for fast boil
- Hinged locking lid
- Scratch resistant
- Voltage 230V 50-60 Hz, 1200W

General Safety Information

- CE • European Standards

Product Code: 1.2 L : 655 300

Kettle Tray



General Specifications

- 3 part set manufactured in high quality melamine
- Heat resistance
- Less stains & scratches
- Non-slip feet
- Versatile
- Suitable for use with all farshu kettles

Dimensions

Main tary : 380 mm (L) x 304 mm (W) x 22 mm (H)

Service : 330 mm (L) x 134 mm (W) x 11.5 mm (H)

Sochet : 155 mm (L) x 115 MM (W) x 50 mm (H)

Colours : White, Black, Ivory

Bathroom Scale

Aero Weighting Scale



General Specifications

- Equipped with 4 high precision G sensors
- Capacity : 150 kg.23 st:8lb/330lb
- Dimensions : 310 x 310 x 19 mm



Intelligent Sense on technology



19 mm Ultra slim design



Optionable LED backlight

Alteo Weighting Scale



General Specifications

- Equipped with 4 high precision G sensors
- Capacity : 150 kg.23 st:8lb/330lb
- Dimensions : 330 x 320 x 19 mm



Intelligent Sense on technology



Special creative design, classic style



Accurately measures with automatically data lock



Extra large LCD with LED backlight

Ironing Boards



Product Code : 666 201

General Specifications

- Designed for hotel use
- Steel mesh top with safety iron rest
- Non skid capped legs
- Height variable adjustment upto 86 cm
- Specially aluminized color pre-treated for scratch resistance
- Easy fold Stow mechanism for space saving
- Automatic fold lock mechanism
- Size of top : 35.5 cm x 114 cm
- Dia of HT round legs: 22/28/35mm
- Silver powder coating finishing
- Metallic cover with 10mm felt pad



Iron Board Holder



Comfortable plastic bracket



Stylish foldable iron rest



Sturdy plastic cap



Sturdy non-stick plastic cap



Sturdy iron rest



Comfortable plastic bracket



Sturdy plastic cap



Stylish iron rest



Stylish foldable iron rest

Magnifying Mirrors



APOLLO

Product Code : 644 504

General Specifications

- Dual-sided mirror
- 3X magnification
- Silver-chrome plated
- Wall-mount with horizontal positioning
- Diameter :230 mm
- Bulb coverage



LUPPITER

Product Code : 644 505

General Specifications

- Single side mirror
- 3X magnification
- LED coverage
- Wall-mount with horizontal positioning
- Diameter 200 mm
- 50000 hours life span
- Ultra Thin
- Full pivotal adjustment
- Universal voltage
- Brass chrome plated



LYNX

**Product Code : 644 401 - Round Base
644 402 - Rectangle Base**

General Specifications

- Dual-sided mirror
- 3X magnification
- Silver-chrome plated
- Wall-mount with horizontal positioning
- Diameter :200 mm

e-Safe Lockers



SATIS SAFE



Product Code: 688 101



Product Code: 688 103

General Specifications

- Digital e-locking system
- Powered encrypted card swipe system
- Auditable logger unit for emergency over ride
- Fool proof password protection system
- Non-volatile memory system
- Internal visibility light
- Intergrated safe-lock mechanism



Optional laptop recharging outlet

Product Code: 688 102



AHS P-11



AHS P-15



Slanted Lobby Display - 051



Poster Stand - 053



Newspaper / Magazine Stand - 063



S S Stand - 070

Que Managers & Barriers

Que Managers Classic Rope & Barrier



EQM 01
Q Managers (With Belt)



EQM 02
Classic Post



EQM 05BS
Q Managers (With Banner)
Outdoor Café Barrier



Belt Colour
Option



EQM 03
Wall Mounting Q Manager



EWC 01
Wall Clips for EQM3



EQR 01
Velvet Rope for EQM2
With Steel Ends



EQS 01
Signages for EQM1
A4 Size: Horizontal

Luggage Trolleys



Model I 103 - SS



Bellman Cart - I 0201



Model 518

DUST BINS

Pedal Bin



Size	Capacity
16.5 x 27.8 cm	3 Ltr.
17.7 x 28 cm	5 Ltr.
21 x 34.1 cm	7 Ltr.
25.5 x 38 cm	12 Ltr.
25.5 x 41.1 cm	14 Ltr.

Leather Pedal Bin



Size	Capacity
16.5 x 27.8 cm	3 Ltr.
17.7 x 28 cm	5 Ltr.
21 x 34.1 cm	7 Ltr.
25.5 x 38 cm	12 Ltr.
25.5 x 41.1 cm	14 Ltr.

Pedal-Bag It Bin



Size	Capacity
25.5 x 30.5 cm	12 Ltr.
25.5 x 40.5 cm	18 Ltr.
25.5 x 55.8 cm	25 Ltr.

Solid Bin



Size	Capacity
19 x 26 cm	6 Ltr.
21 x 31.5 cm	10 Ltr.

Leather Solid Bin



Size	Capacity
19 x 26 cm	6 Ltr.
21 x 31.5 cm	10 Ltr.

Hamper



Size	Capacity
21 x 31.5 cm	11 Ltr.
25.5 x 39 cm	21 Ltr.
29.5 x 51 cm	37.5 Ltr.

Oval Hamper



Size	Capacity
25.5 x 39 cm	21 Ltr.

DUST BINS



Push Can



Size	Capacity
21 x 45 cm	11 Ltr.
25.5 x 51.5 cm	21 Ltr.
29.5 x 63.5 cm	37 Ltr.
30 x 79 cm	50 Ltr.

Straight Bin with Ring



Size	Capacity
25 x 29 cm	10 Ltr.
17.5 x 25.5 cm	
20 x 30.5 cm	

Regular Ash Tray



Size	Capacity
21 x 62.5 cm	10 Ltr.

Airport Ash Tray



Size	Capacity
23 x 63 cm	12 Ltr.

Swing Bin



Size	Capacity
30.5 x 30.5 cm	20 Ltr.
30.5 x 35.5 cm	40 Ltr.
39 x 65.5 cm	75 Ltr.

Millennium Bin



Size	Capacity
30 x 63.5 cm	75 Ltr.

Soft Top Bin



Size	Capacity
39 x 73 cm	75 Ltr.

Oval Bucket



Size	Capacity
23 x 28.5 cm	9 Ltr.

Outdoor Bins



KR-80
Nom. Volume (L): 80 +/- 2 Ltr
OD : 410 (L) x 410 (W) x 915 (H) mm +/- 10 mm
Available colour : Red, Grey, Yellow, Green



Elegance
Nom. Volume (L): 50 +/- 2 Ltr
OD : 350 (D) x 800 (H)



Legend
Nom. Volume (L): 50 +/- 2 Ltr
OD : 350 (D) x 800 (H)

Waste Management Bins



MGB 1100L
Nom. Volume (L) : 1100
OD : 1373 (L) x 1073 (W) x 1354 (H) mm
Dead Weight approx (kg) : 50
Useful Load (kg) : 440

Waste Management Bins



Model No	Dimensions	Dead Weight	Useful Load
MGB 60 L	470 x 550 x 658 mm	8.4 kg	40 kg
MGB 120 L	480 x 550 x 940 mm	10.5 kg	60 kg
MGB 240 L	580 x 730 x 1080 mm	14.3 kg	110 kg
MGB 360 L	670 x 845 x 1170 mm	22.2 kg	136 kg

GUEST CARE



Room Amenities



Soap : 20, 25, 30 & 40 gm

Shampoo : Moisturize, Bubble Bath, Mouth Wash, Talcum Powder : 20, 30 & 40 ml.
Dental Kit & Shaving Kit.

Comb, Shower Cap, For your care Kit, Sewing Kit, Business Kit, Sanitary Bags, Glass Cover, Laundry Bag, Shoe Shine strip, DND Card

Room Amenities Tray (Acrylic) :
Size 6 x 10, 7 x 11, 9 x 11, 10 x 14

Leather Folders



Green Elements - Ecological Environment Products



Low-Carbon material: it is degradable under compost conditions and by incineration.

Product is derived from natural corn starch and feels soft to the touch.

Green elements provides a wide variety of PSM products including toothbrush, comb, shaver, tissue boxes, bins, trays, bottles covered products, packaging and golf tee.



Wooden Hangers



Shirt Hangers
(Square No Slip Bar)
Code: HN2B (Natural)
Code: HN2M (Mohagany)



Shirt/Pant Hangers
(With Clips)
Code: HCN2B (Natural)
Code: HCN2M (Mohagany)



Coat Hangers
(Square No Slip Bar)
Colour: Natural
Code: HB2B



Satin Hangers
Satin Padded
Colour: Blue, Pink, Black
Code: HBK



Luggage Rack
Colour: Mohagany
Code: LRM



Shirt Hangers
Anti Theft
(Square No Slip Bar)
Colour: Mohagany
Code: HNIM



Shirt/Pant Hangers
Anti Theft
(With Clips)
Colour: Mohagany
Code: HCNIM



Coat Hangers
Anti Theft
(Square No Slip Bar)
Colour: Mohagany
Code: HB1M




Shoe Horn



Coat Brush

Room & Banquet Chairs



Aluminium Chair - AHS BC-9330
430 (W) x 500 (D) x 460 (SH) x 950 (H)



Aluminium Chair - AHS BC-9870-2
450 (W) x 500 (D) x 460 (SH) x 955 (H)



Aluminium Chair - AHS BC-9830
450 (W) x 510 (D) x 460 (SH) x 950 (H)



Aluminium Chair - AHS BC-9850
450 (W) x 510 (D) x 460 (SH) x 970 (H)



Aluminium Chair - AHS BC-8050
460 (W) x 525 (D) x 460 (SH) x 950 (H)



Aluminium Chair - AHS BC-9910
430 (W) x 570 (D) x 460 (SH) x 930 (H)



Steel Chair - AHS BC-3010
440 (W) x 480 (D) x 460 (SH) x 920 (H)




Steel Chair - AHS BC-1010
440 (W) x 480 (D) x 460 (SH) x 915 (H)



Steel Chair - AHS BC-1060
440 (W) x 480 (D) x 460 (SH) x 915 (H)



Aluminium Chair - AHS BC-9710
450 (W) x 520 (D) x 460 (SH) x 970 (H)



Steel Chair - AHS BC-1020
440 (W) x 480 (D) x 460 (SH) x 935 (H)



Aluminium Chair - AHS BC-8080-2
460 (W) x 555 (D) x 460 (SH) x 930 (H)

Banquet Tables



Round Table
Size 4 x 4



Rectangular Table
Size 6 x 2

MATTRESS



KING KOIL®

PREMIUM GLOBAL MATTRESS

MAHARAJA GRAND

MATTRESS BEYOND LUXURY

Royal Luxurious Sleep Experience only for Suite Rooms



Fire Retardant Goldline Fabric



Superior Quilted Cover & Padding



Global Hospitality Specification



Air Mattress Ventilation



Quality Testing At Multiple Levels



High Coil Count



Do Not Disturb Technology



15 Year Warranty

KING KOIL®

PREMIUM GLOBAL MATTRESS

perfect response

Contours perfectly to your body for superior sleep

Perfect body contouring sleep experience for Luxury & Boutique Hotels



Conforming Support



Pressure-relieving Support



Ultra Luxurious Fabric



Do Not Disturb Technology



High Coil Count



Unique Zip Cover



12 Year Warranty

KING KOIL®

PREMIUM GLOBAL MATTRESS

GUEST REST

Superior sleeping solutions for Premium & Business category Hotels



Fire Retardant Goldline Fabric



Global Hospitality Specification



Air Mattress Ventilation



Quality Testing At Multiple Levels



Do Not Disturb Technology



Fusion Fabric



10 Year Warranty

Folding - Roll Away Bed

(Extra Bed)



Folding Bed (With Foam Mattress)

Dimension: 195 x 75 x 27cm (6 x 3 feet)



Bed Linen



Bed with Runners



Mattress Protector/Pads



Bed Side Rugs



Fibre Pillows



Fibre Cushions/Throw



Fleece Blanket



Silk Runner

Bed Sheets :

114" x 114"; 114" x 110";
114" x 90"; 114" x 72"; 100" x 60"; 90" x 60"
Satin Stripes : Quality: "Splendor" - 300 TC
Plain Satin : Quality: "Splendor" - 300 TC/250 TC
40s Special Percale 200 TC : Quality: "Slumber"
40s Regular 180 TC



Duvet Covers

Satin Stripes/
Dobby Box –
"Splendor"
Plain Satin –
"Splendor"
40s Special –
"Slumber"





Spa Linen



Waffle Bathrobes



Room slipper
Terry / Jute



Washable Shower Curtain



Terry Bathrobe

Bathroom Linen



Towels



Logo Towels



Bath Mat



Pool Towels

Towels : 36" x 72"; 30" x 60"; 27" x 54"; 16" x 27"; 12" x 12" • **Pool Towels** : 36" x 72"; 40" x 80"

F & B Linen



Organza Napron



Pre-pleated Frills



Damask Table Linen



Scallop Napron



Satin Band Table Linen



4 Ply Stretch Lycra Chair Cover



Poly Gc Chair Cover



Spandex Table Cover



Poly Jacquard Chair Covers

ECO-FRIENDLY CLEANING CHEMICALS



Multipurpose Floor Cleaning

Multi-purpose Cleaner **FLORCLEAN** Sandal - Floral Fragrance



Eco-Green Formula	7^{pH} Neutral	Low Dilution Usage	Natural Ingredients Ethanol Chelates Citrus Extracts
99% Biodegradable Ingredients, Natural VOC < 0.2% in RTU	All Surface Safe including Wooden	Optimum Non Sticky Performance at 2.5%	Non Synthetic Formula only Natural Source Solvents & Chelates

Dilution: 2-5%



Vitrified Tiles



Wooden Floor



Marble, Granite



Premium Floor Cleaning & Sanitization

SteriMop Floor Cleaner & Disinfectant



Cleaning & Sanitization	Eco-Green Formula	7^{pH} Neutral	Low Dilution Usage	Natural Ingredients Ethanol Chelates Citrus Extracts
Manufactured under FDA License Benzalkonium Chloride 3% w/v	96% Biodegradable Ingredients, Natural VOC < 0.4% in RTU	All Surface Safe including Wooden	Optimum Non Sticky Performance at 2%	Non Synthetic Formula only Natural Source Solvents & Chelates



Excellent Fresh Feel Citrus Fragrance

Dilution: 1-3%



Vitrified Tiles



Wooden Floor



Marble, Granite



Also Available - Economy Variant STERIMOP SUPER (Same Cleaning & Sanitization performance with lower VOC & medium fragrance)

Professional Floor Disinfectant

Sterishine Floor Cleaner & Disinfectant



Cleaning & Sanitization Dual Power PHMB+Quat	Eco-Green Formula	7^{pH} Neutral	Low Dilution Usage	Natural Ingredients Ethanol Chelates Citrus Extracts
Made under FDA License Benzalkonium Chloride 4% w/v PHMB 1% w/v	94% Biodegradable Ingredients, Natural VOC < 0.4% in RTU	All Surface Safe including Wooden	Optimum Non Sticky Performance at 2%	Non Synthetic Formula only Natural Source Solvents & Chelates



LFRA - Food Safe
Non Fragranced
(Kitchens, F&B, Pharma)

Dilution: 2-5%



Vitrified Tiles



Wooden Floor



Marble, Granite



Glass & Multipurpose Cleaning



Multipurpose Cleaner & Shiner **Kleen & Shine**



 Eco-Green Formula		7^{pH} Neutral	 Natural Ingredients Ethanol Chelates	Fast Drying Clean Surfaces with minimum wiping
99% Biodegradable Ingredients, Natural VOC < 1% in RTU	Streak Free with Clear Shine Formula Optimum Performance at 1-2% Dilution	All Surface Safe including Wooden	Non Synthetic Formula only Natural Source Solvents & Chelates	Less Physical Labor needed. Cover more area in less time.

Dilution: 1-5%



Glass



Furniture
(Laminated only & Leather)



Metallic
(Steel Laminates, Door Handles, Railings, Lifts etc.)






Electronics
(including LCD's)

Spray & Wipe use • All in One Single Product • Easiest to Use Reduce Inventory Costs
Also Available KLEEN & SHINE SUPER (Economy Variant - Same cleaning performance with lower VOC & slower drying time)

All in One Cleaning - Light Duty

Multi Surface Cleaning Concentrate **Complete**



 Eco-Green Formula	7^{pH} Neutral	 Low Dilution Usage	Natural Ingredients  Ethanol Chelates <i>Citrus Extracts</i>
99% Biodegradable Ingredients, Natural VOC < 0.3% in RTU	All Surface Safe including Wooden	Optimum Non Sticky Performance at 2.5%	Non Synthetic Formula only Natural Source Solvents & Chelates

Dilution: 2-5%



Glass



Furniture
(Laminated only & Leather)



Metallic
(Steel Laminates, Door Handles, Railings, Lifts etc.)





Electronics
(including LCD's)

• All in One Single Product • Easiest to Use Reduce Inventory Costs

All in One Cleaning - Heavy Duty

APC All Purpose Heavy Duty Cleaner



 Eco-Green Formula	7^{pH} Neutral	 Low Dilution Usage	All in One Single Product
99% Biodegradable Ingredients, Zero VOC	All Surface Safe including Wooden	Optimum Non Sticky Performance at 2%	Easiest to Use Reduce Inventory Costs

Dilution: 2-5%



Glass



Furniture
(Laminated only & Leather)



Metallic
(Steel Laminates, Door Handles, Railings, Lifts etc.)

STERIX-A

Powerful Bathroom Cleaner
Sterix-A
Toilet Bowls-Sinks-Taps-Tiles



Dilution: Ready to use



Dilution: 1 to 5%



**All in One
Single Product**
Easiest to use
Reduce
Inventory Costs





**Hard Water Plus Organic
Stain Champion**
For all locations especially
those with Hard / Treated
Water usage in flushing

STERIX

Advanced Bathroom Cleaner
Sterix
Powerful Biocide & Cleaner
Toilet Bowls-Sinks-Taps-Tiles



Advantages common to both products

 <p>Eco-Green Formula</p> <p>98% Biodegradable Natural Green Acid</p>	<p>7 pH Neutral</p> <p>Polished Marble Safe</p> <p>For normal water areas & those with polished marble in washrooms</p>	 <p>Cleaning & Sanitization</p> <p>Manufactured under FDA License Benzalkonium Chloride 0.5% w/v</p>	 <p>Corrosion Inhibitor for safety of Chrome</p>	 <p>Fresh Feel Citrus Colognes Fragrance</p>	<p>Natural Ingredients</p> <p>Chelates <i>Citrus Extracts</i></p> <p>Non Synthetic Formula only Natural Source Acid & Chelates</p>
--	---	---	--	---	---

WC & Urinal Cleaning

WC-Kleen
Ready to Use for Bowls & Urinals



Dilution: Ready to use







**Hard Water
Stain Champion**
For all locations especially
those with hard water

**Hard Water Plus
Organic
Stain Champion**
For all locations especially
those with Hard / Treated
Water usage in flushing

WC-Plus
Tough Stain Removal Power



Advantages common to both products

 <p>Eco-Green Formula</p> <p>99% Biodegradable Ingredients, Zero VOC</p>	<p>7 pH Neutral</p> <p>Polished Marble Safe</p> <p>For normal water areas & those with polished marble in washrooms</p>	 <p>Germ Fighting Formula</p> <p>Manufactured under FDA License Benzalkonium Chloride 0.5% w/v</p>	 <p>Corrosion Inhibitor for safety of Chrome</p>	 <p>Fresh Feel Citrus Colognes Fragrance</p>	<p>Natural Ingredients</p> <p>Chelates & Thickeners <i>Citrus Extracts</i></p> <p>100% Organic Acid, Naturally Derived Chelates & Thickeners</p>
--	---	--	---	--	---

Wash-Bright

Stain Remover & Whitener for Bowls, Urinals, Sinks & Tiles



Germ fighting
Formula

Dilution: Ready to Use

Water Closet, Urinals, Sinks, Tiles



Whitening &
Destaining

Remove organic
stains, Yellowness &
Rust stains

Air Freshening

Freshex

Aerosol Free Air Freshener



Natural Ingredients

Ethanol



Castor Oil
Derivative



No Synthetic Solvents only
Natural Source Perfume Solubilizers



Eco-Green Formula
95% Biodegradable
Ingredients, Zero VOC



Spring Dew
(Water-Alcohol Based)



Aqua Splash
(Water-Alcohol Based)



Citron
(Water-Alcohol Based)



Exotic Flower
(Water Based)

Hand hygiene : General Use

Fresh Hands

Range of Gel Moisturizing Hand Washes



Fresh Hands ELQ
(Yellow Clear Gel-Economy)

Fresh Hands Peral
(Orange Pearly White - Luxury)

Fresh Hands LQ
(Pink Clear Gel - Premium)

Mild Cleansing

SoapFree
pH Balanced

Moisturizing
Glycerine



Aloe Vera



Dispensing
Units
also available

Hand hygiene : Industrial Use

Handy Wash

Powerful Multipurpose Hand Scrub & Cleaner



Tough Cleaning, pH Neutral
Moisturizing Formula

For Removing Grease, Paint, Printing Ink etc.
Available in Scrub Paste Format

Anti Bacterial Hand Wash

General Use, Offices & Homes

99 Hand Wash
Anti Bacterial
Soap Free



Vitamin E



Anti Bacterial
—Triclosan—



Mild Cleansing
Soap Free
pH Balanced



Aloe Vera

SANITIZ

Professional use, Doctors-Pharma
Staff & Food Handlers



Instant Hand Sanitizer

99 Hand Sanitizer
Instant
((Water less))
((Towel less))




Moisturizing
Glycerine



Aloe Vera

SANITIZ

Anti Bacterial
—Triclosan—



Carpet & Upholstery Cleaning

Carpet Kleen



HF For Foam
Generator &
Single Disc



LF For Spray
Extractor &
Spot Removal



7 pH
Neutral

Stain Removal

STAINEX
Range of Stain Removers

Stainex-G Hard Surface &
Fabric Spray Type Remover for
Greasy/Food Stains

Stainex-Sc Scrub Paste Stain
Remover for Paan Stains & Ink
Marks etc.



Polishes & Maintainers

Wood & Leather Polishing
Apply & Buff Type

Multi-pol

Wood Leather Polish



Multi Metal Scrub Polish
Apply, Scrub & Buff Type

Metalex



Brass-Silver-
Steel Scrub
Cleaner & Shiner



Marble & Kota Polishing and
Crystalization



Premium Floor Crystallizer

FLORSHINE



FLORPOL

Floor Etchant & Crystallizer


Cleaning, Degreasing

Utensils - Vessels - Crockery
Utilex
Powerful Cleaner & Degreaser



Dilution: 2 to 5%

 **Eco-Green Formula**
99% Biodegradable Ingredients, Zero VOC

 **Fast Drying & Extra Shine** with spotless finish after wash
Due to Water Sheet flow off effect & no droplet formation post rinse




Cleaning, Degreasing with Germ Fighting Formula

Utilex-III
Power Cleaners-Grease Cutters-Germ Fighters



 **Eco-Green Formula**
94% Biodegradable Ingredients, Zero VOC

 **Cleaning & Sanitization**
Dual Power PHMB+Quat

 **Also useful with Foam Generator**
Generate foam to clean & fight microbes in hard to reach places

Advantages common to both products

All in One Single Product for complete Cleaning

7^{pH}
Neutral

Natural Ingredients
Chelates  **Citrus Extracts**

US - FDA : GRAS

Easiest to Use
Single Dilution
Less Inventory Cost

For normal water areas & those with polished marble in washrooms

Formula Natural
Source Chelates

Maximum Ingredients US FDA GRAS Listed. Rest as per EU EPA guidelines for food safety.

Mechanical Cleaning

Automatic Machine Dishwash

Machine Dishwash Liquid
Utilex-M
Neutralizing Rinse Aid
Utilex-R



Cleaning In Place: Pipelines & bottles

UTILEX - BPAL

Alkaline Bottle & Pipeline Wash

UTILEX - BPAC

Acidic Bottle & Pipeline Wash

UTILEX - POLY

Bottle Wash for PET bottles

US - FDA : GRAS

Generally Regarded As Safe

"GRAS" is an acronym for the phrase Generally Recognized As Safe. Under sections 201(s) and 409 of the Federal Food, Drug, and Cosmetic Act (the Act), any substance that is intentionally added to food is a food additive, that is subject to premarket review and approval by FDA, unless the substance is generally recognized, among qualified experts, as having been adequately shown to be safe under the conditions of its intended use, or unless the use of the substance is otherwise excluded from the definition of a food additive.

Automobile & Rail Coach Washing

AutoShine

Liquid Shampoo for Car Wash, Rail Coach Washing

 **Eco-Green Formula**

Brilliant after Shine | Minimal Dust redeposition | Water Flow of Sheet effect

Degreasing & Heavy Cleaning Non Alkaline-Scrub & Wash

Laundry Range

H-Kleen^{Super}
Advanced Heavy Duty Cleaner & Degreaser



7 pH
Neutral

Natural
Citrus
Extracts



Degreasing & Carbon Removal Alkaline Scrub & Wash

H-Kleen^{Hdg}
Alkaline Grill Degreaser



Grill I Kadhai I Tawa Carbon Removal



Descalant Scrub & Wash

Strong Kleen
Strong Cleaner & De-Scalant



Steel, Chrome, Glass



Ceramic Tiles



Concrete, Mosaic & Tiled Floors



Detergents

Laundro Det-n-Boost - E 

Powder Detergent & Booster

Laundro Mulse - E 

Liquid Emulsifier

LaundroKleen 

Light Duty Liquid Detergent

Laundro Shot

Econo Powder Detergent & Booster

Bleach & All in one

LaundroBleach - O 

Powder Oxygen Bleach

Laundro Complete 

Powder Detergent & Oxy Bleach

Laundro Excel 

Econo Powder Oxy- Detergent

Laundro Chlor-10

10% Liquid Chlorine Bleach

Softeners & Rinse

LaundroSoft - N 

Softener & Neutralizer

LaundroSoft 

Liquid Softener

Laundro Rinse 

Liquid Neutralizer

LaundroRinse-C

Liquid Anti Chlor



Eco-Green
Formula
>90% Readily
Biodegradable Ingredients

Non Hazardous Inorganics &
Chelates Natural VOC <1%
in
RTU Free from Phosphates,



Environment
Friendly
>50% Readily
Biodegradable Ingredients

T-SHIRTS



Pique Polo



HOTEL PHONES

UNO Voice



Model : HA9888(67) TSD-55

UNO Media



UNO Trimline



Model : HA9888(66) T

UNO Mini

Specially designed for night stand



Model : HA9888(69) TSD-35

Room Phones



Model : 48 series



Model : 38 series



Model : 32 series



Model : 12 series



GLASSWARES



CUTLERY



CHAFING DISHES



CROCKERY

For Food & Beverages Products...

Please contact: Ph: 91 484 4067764, 4411281, 98460 20770, 98461 20770

Email: coordinator@intermas.in, salesimc@intermas.in, intermas@asianetindia.com

intermas@satyam.net.in, Web: www.intermas.in

Follow us on:



The page features a series of horizontal lines for writing. Overlaid on these lines are three large, semi-transparent decorative shapes: a light gray circle in the upper left, a light gray organic shape in the lower left, and a light green organic shape in the center-right. The green shape overlaps the gray circle and the gray organic shape.



Office & Showroom : LXIV/928, Krishnaswami Road,
Pullepady, Ernakulam, Cochin - 682 035.
Tel: 91 484 4067764 / 4411281, Fax: 91 484 4067764
Email: hishaam@intermas.in, coordinator@intermas.in,
salesimc@intermas.in, cs@intermas.in Web: www.intermas.in
Head. Office : 12/25, College Road, Panayapally, Cochin - 682 002.



Join us on:  