

Mini Bar - 40 Litre - FS 40



Certification

- CE, UL, CB International, CCC
- RoHS Compliance

General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.7kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- All round magnetic insulation on door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly
- Colour - Black/White
- Available in 50 & 60 ltr

Mini Bar Glass Door - 40 Litre - FSG 40



Certification

- CE, UL, CB International, CCC
- RoHS Compliance

General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.95kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- Solid insulated frame for glass door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly
- Vision glass door
- Colour - Black/White
- Available in 50 & 60 ltr

Mini Bar - 50 Litre - FS 50



General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.9kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- All round magnetic insulation on door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly

Certification

- CE, UL, CB International, CCC
- RoHS Compliance

Mini Bar - 60 Litre - FS 60



General Specifications

- Advanced silent absorption cooling technology
- Power Consumption 0.9kWh/24Hrs
- No vibration & No noise
- Sensor controlled LED light
- Sensationally Low energy consumption
- All round magnetic insulation on door
- Adjustable shelves/Racks
- Door Lock
- CFC-free insulation, environmental friendly

Certification

- CE, UL, CB International, CCC
- RoHS Compliance

The absorption cooling system

All the Farshu minibars are made by advanced absorption cooling system with no compressor & no moving parts. All the Farshu minibars are specially made by fuzzy logic regulation technology, that helps to working power will be lower according to the decrease of temperature inside the minibar. And the machine will stop working if the temperature is cool enough for drinks.

Features

1. CFC free
2. No Leakage
3. No pollution
4. Environment Friendly
5. No Vibration
6. Noise free
7. Long life-span for usage
8. Lower Power Consumption
9. Firm Stainless Metal Cabinet
10. Aluminium Inner




Technical data for normal doors

Model	Capacity	Input Power	Refrigerator temperature	Power consumption	No. of schemes	No. of balconies	Unit dimension WxDxH (mm)	Package dimension (mm)	Net Weight (KG)	Qty per 40H container
FS 30	30	65	0-8	0.8	1	2	400 x 420 x 500	470 x 470 x 540	13.5	800
FS 40	40	65	0-8	0.7	2	2	400 x 450 x 580	470 x 500 x 600	15.5	480
FS 50	50	90	0-8	0.88	3	3	400 x 450 x 670	470 x 500 x 720	17.5	440
FS 60	58	90	0-8	0.90	3	2	460 x 480 x 580	515 x 525 x 630	26.0	450

Technical data for glass doors

Model	Capacity	Input Power	Refrigerator temperature	Power consumption	No. of schemes	No. of balconies	Unit dimension WxDxH (mm)	Package dimension (mm)	Net Weight (KG)	Qty per 40H container
FSG 30	30	65	6-12	0.8	1	0	400 x 420 x 500	470 x 470 x 540	14.5	600
FSG 40	40	65	6-12	0.95	2	0	400 x 440 x 560	470 x 500 x 600	16.5	480
FSG 50	50	90	6-12	1.0	3	0	400 x 440 x 670	470 x 500 x 720	18.5	440



Lazio Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1600W
- Spring button safety guarantee
- Three heat Setting including cold shot
- Long life motor
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 60 & 95 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White 633 101, Black 633 102, Ivory 633 103

Helain Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1200W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 45 & 70 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White 633 401, Black 633 402, Ivory 633 403

Lugi Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1500W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 60 & 95 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White : 633 201
Black : 633 202
Ivory : 633 203

Flo Hair Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1200W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 45 & 70 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White : 633 301
Black : 633 302
Ivory : 633 403



Lazio Hair Dryer Drawer Mounted

General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1600W
- Spring button safety guarantee
- Three heat Setting including cold shot
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 60 & 95 m³/h

General Safety Information

European Standards

- CE • CB • GS

Drawer Mounted Hair Dryers

Product Code:

White : 633 121
Black : 633 122
Ivory : 633 123



Helain Hair Dryer Drawer Mounted

General Specifications

- Voltage 220 - 240V 50 - 60Hz, 1200W
- Spring button safety guarantee
- Two heat Setting
- Auto over- heat protection system
- Impact resistant
- Extendable spiral cord
- Integrated anti-heat protection system
- Air Flow : 45 & 70 m³/h

General Safety Information

European Standards

- CE • CB • GS

Available with shaving socket

Product Code:

White : 633 221
Black : 633 222
Ivory : 633 223

Body Dryer



General Specifications

- Voltage 220 - 240V 50 - 60Hz, 950W
- Air Flow : 75 m³/h

General Safety Information

European Standards

- CE • CB • GS

Product Code : 633 331

Veneto Kettle - 1 Litre



General Specifications

- Electric Cordless Kettle 1 Litre
- Concealed heat element
- 360° Stainless steel rotating water reservoir Pilot Light
- Automatic turn off when boiled or empty
- Thermo boil during cooling/static period
- Anti-friction coat for fast boil
- Hinged locking lid
- Scratch resistant
- Voltage 230V 50-60 Hz, 1200W

General Safety Information

- CE • European Standards

Product Code:

White : 655 101

Black : 655 102

Ivory : 655 103

Lyra Kettle - 1.2 Litre



General Specifications

- Electric Cordless Kettle 1.2 Litre
- Concealed heat element
- 360° Stainless steel rotating water reservoir Pilot Light
- Automatic turn off when boiled or empty
- Thermo boil during cooling/static period
- Anti-friction coat for fast boil
- Hinged locking lid
- Scratch resistant
- Voltage 230V 50-60 Hz, 1250W

General Safety Information

- CE • European Standards

Product Code:

White : 655 201

Black : 655 202

Ivory : 655 203

White & Gray : 655 204

Octans Stainless Steel Kettle



General Specifications

- Stainless steel finishing
- Concealed heat element
- 360° Stainless steel rotating water reservoir Pilot Light
- Automatic turn off when boiled or empty
- Thermo boil during cooling/static period
- Anti-friction coat for fast boil
- Hinged locking lid
- Scratch resistant
- Voltage 230V 50-60 Hz, 1200W

General Safety Information

- CE • European Standards

Product Code: 1.2 L : 655 300

Kettle Tray



General Specifications

- 3 part set manufactured in high quality melamine
- Heat resistance
- Less stains & scratches
- Non-slip feet
- Versatile
- Suitable for use with all farshu kettles

Dimensions

Main tary : 380 mm (L) x 304 mm (W) x 22 mm (H)

Service : 330 mm (L) x 134 mm (W) x 11.5 mm (H)

Sochet : 155 mm (L) x 115 MM (W) x 50 mm (H)

Colours : White, Black, Ivory

Bathroom Scale

Aero Weighting Scale



General Specifications

- Equipped with 4 high precision G sensors
- Capacity : 150 kg.23 st:8lb/330lb
- Dimensions : 310 x 310 x 19 mm



Intelligent Sense on technology



19 mm Ultra slim design



Optionable LED backlight

Alteo Weighting Scale



General Specifications

- Equipped with 4 high precision G sensors
- Capacity : 150 kg.23 st:8lb/330lb
- Dimensions : 330 x 320 x 19 mm



Intelligent Sense on technology



Special creative design, classic style



Accurately measures with automatically data lock



Extra large LCD with LED backlight

Ironing Boards



Product Code : 666 201

General Specifications

- Designed for hotel use
- Steel mesh top with safety iron rest
- Non skid capped legs
- Height variable adjustment upto 86 cm
- Specially aluminized color pre-treated for scratch resistance
- Easy fold Stow mechanism for space saving
- Automatic fold lock mechanism
- Size of top : 35.5 cm x 114 cm
- Dia of HT round legs: 22/28/35mm
- Silver powder coating finishing
- Metallic cover with 10mm felt pad



Iron Board Holder



Comfortable plastic bracket



Stylish foldable iron rest



Sturdy plastic cap



Sturdy non-stick plastic cap



Sturdy iron rest



Comfortable plastic bracket



Sturdy plastic cap



Stylish iron rest



Stylish foldable iron rest

Magnifying Mirrors



APOLLO

Product Code : 644 504

General Specifications

- Dual-sided mirror
- 3X magnification
- Silver-chrome plated
- Wall-mount with horizontal positioning
- Diameter :230 mm
- Bulb coverage



LUPPITER

Product Code : 644 505

General Specifications

- Single side mirror
- 3X magnification
- LED coverage
- Wall-mount with horizontal positioning
- Diameter 200 mm
- 50000 hours life span
- Ultra Thin
- Full pivotal adjustment
- Universal voltage
- Brass chrome plated



LYNX

**Product Code : 644 401 - Round Base
644 402 - Rectangle Base**

General Specifications

- Dual-sided mirror
- 3X magnification
- Silver-chrome plated
- Wall-mount with horizontal positioning
- Diameter :200 mm

e-Safe Lockers



SATIS SAFE



Product Code: 688 101



Product Code: 688 103

General Specifications

- Digital e-locking system
- Powered encrypted card swipe system
- Auditable logger unit for emergency over ride
- Fool proof password protection system
- Non-volatile memory system
- Internal visibility light
- Intergrated safe-lock mechanism



Optional laptop recharging outlet

Product Code: 688 102